



Tyvek.

FOR
GREATER
GOOD™

DUPONT™ TYVEK® CARGO COVERS

Product list

For pharmaceuticals, perishables and temperature-sensitive products



DuPont™ Tyvek® Cargo Covers according to pallet size/ULD



Euro Sized Pallets 47 x 31.5 in / 120 x 80 cm

| Product code | Item description | Height | | Net weight | | Qty/Box | Qty/Pallet |
|--------------|--------------------------------|--------|-----|------------|------|---------|------------|
| | | in | cm | lb | kg | | |
| D15157268 | Tyvek® Solar™ W10 Cargo Cover | 24 | 61 | 0.73 | 0.33 | 75 | 1200 |
| D14989567 | | 39 | 100 | 0.99 | 0.45 | 25 | 400 |
| D14569789 | | 47 | 120 | 1.10 | 0.50 | 20 | 320 |
| D14569796 | | 64 | 160 | 1.34 | 0.61 | 20 | 320 |
| D15072833 | Tyvek® Solar™ W20 Cargo Cover | 39 | 100 | 1.08 | 0.49 | 25 | 400 |
| D14569801 | | 47 | 120 | 1.17 | 0.53 | 20 | 320 |
| D14569811 | | 64 | 160 | 1.46 | 0.66 | 20 | 320 |
| D15519195 | Tyvek® Xtreme™ W50 Cargo Cover | 39 | 100 | 4.85 | 2.20 | 10 | 30 |
| D15519196 | | 47 | 120 | 5.29 | 2.40 | 10 | 30 |
| D15519197 | | 64 | 160 | 6.17 | 2.80 | 8 | 24 |
| D14611983 | Tyvek® Solar™ W10 Base | | | 0.29 | 0.13 | 100 | 1600 |



UK/USA Sized Pallets 47 x 40 in / 120 x 100 cm

| Product code | Item description | Height | | Net weight | | Qty/Box | Qty/Pallet |
|--------------|--------------------------------|--------|-----|------------|------|---------|------------|
| | | in | cm | lb | kg | | |
| D15157257 | Tyvek® Solar™ W10 Cargo Cover | 24 | 61 | 0.88 | 0.40 | 60 | 960 |
| D14569740 | | 48 | 122 | 1.15 | 0.52 | 20 | 320 |
| D14569759 | | 64 | 160 | 1.48 | 0.67 | 20 | 320 |
| D14569769 | Tyvek® Solar™ W20 Cargo Cover | 48 | 122 | 1.43 | 0.65 | 20 | 320 |
| D14569778 | | 64 | 160 | 1.57 | 0.71 | 20 | 320 |
| D15519198 | Tyvek® Xtreme™ W50 Cargo Cover | 48 | 122 | 5.29 | 2.40 | 10 | 30 |
| D15519199 | | 64 | 160 | 6.83 | 3.10 | 8 | 24 |
| D14611997 | Tyvek® Solar™ W10 Base | | | 0.33 | 0.15 | 80 | 1280 |



UK/USA XL Sized Pallets 51 x 42 in / 130 x 107 cm


| Product code | Item description | Height | | Net weight | | Qty/Box | Qty/Pallet |
|--------------|-------------------------------|--------|-----|------------|------|---------|------------|
| | | in | cm | lb | kg | | |
| D15164872 | Tyvek® Solar™ W10 Cargo Cover | 48 | 122 | 1.32 | 0.60 | 20 | 320 |
| D15164859 | | 64 | 160 | 1.59 | 0.72 | 20 | 320 |
| D15317558 | | 72 | 183 | 1.70 | 0.77 | 16 | 256 |
| D15317563 | | 84 | 213 | 1.92 | 0.87 | 16 | 256 |
| D15164888 | Tyvek® Solar™ W20 Cargo Cover | 48 | 122 | 1.54 | 0.70 | 20 | 320 |
| D15164865 | | 64 | 160 | 1.72 | 0.78 | 20 | 320 |





AKH Unit Load Devices 96 x 60 in / 244 x 153 cm


| Product code | Item description | Height | | Net weight | | Qty/Box | Qty/Pallet |
|--------------|-------------------------------|--------|-----|------------|------|---------|------------|
| | | in | cm | lb | kg | | |
| D15342662 | Tyvek® Solar™ W10 Cargo Cover | 45 | 117 | 2.53 | 1.15 | 8 | 128 |
| D15343055 | Tyvek® Solar™ W20 Cargo Cover | 45 | 117 | 2.76 | 1.25 | 8 | 128 |


DuPont™ Tyvek® Cargo Covers according to pallet size/ULD

|  LD3 Unit Load Devices 80 x 61 in / 201 x 154 cm | | Height | | Net weight | | Qty/Box | Qty/Pallet | | |
|---|-------------------------------|--------------|-------------------------------|------------|------|---------|------------|------|------|
| | | Product code | Item description | in | cm | | | lb | kg |
| | | D14580030 | Tyvek® Solar™ W10 Cargo Cover | 64 | 163 | | | 2.65 | 1.20 |
| D14580045 | Tyvek® Solar™ W20 Cargo Cover | 64 | 163 | 2.93 | 1.33 | 8 | 96 | | |

|  PAG Unit Load Devices 125 x 88 in / 318 x 224 cm | | Height | | Net weight | | Qty/Box | Qty/Pallet | | |
|--|-------------------------------|--------------|-------------------------------|------------|------|---------|------------|------|------|
| | | Product code | Item description | in | cm | | | lb | kg |
| | | D14572336 | Tyvek® Solar™ W10 Cargo Cover | 64 | 162 | | | 4.23 | 1.92 |
| D14572342 | 96 | 243 | | 5.25 | 2.38 | 2 | 24 | | |
| D14572363 | Tyvek® Solar™ W20 Cargo Cover | 64 | 162 | 4.61 | 2.09 | 4 | 48 | | |
| D14572350 | | 96 | 243 | 7.49 | 3.40 | 2 | 24 | | |
| D14612017 | Tyvek® Solar™ W10 Base | | | 1.48 | 0.67 | 40 | 480 | | |

|  PMC Unit Load Devices 125 x 96 in / 318 x 244 cm | | Height | | Net weight | | Qty/Box | Qty/Pallet | | |
|---|--------------------------------|--------------|-------------------------------|------------|-------|---------|------------|------|------|
| | | Product code | Item description | in | cm | | | lb | kg |
| | | D14572299 | Tyvek® Solar™ W10 Cargo Cover | 64 | 162 | | | 4.47 | 2.03 |
| D14572300 | 96 | 243 | | 5.71 | 2.59 | 2 | 24 | | |
| D14612030 | 118 | 300 | | 6.82 | 3.09 | 2 | 24 | | |
| D14572320 | Tyvek® Solar™ W20 Cargo Cover | 64 | 162 | 4.98 | 2.26 | 4 | 48 | | |
| D14572318 | | 96 | 243 | 6.83 | 3.10 | 2 | 24 | | |
| D15206084 | | 118 | 300 | 7.71 | 3.50 | 2 | 24 | | |
| D15519200 | Tyvek® Xtreme™ W50 Cargo Cover | 64 | 162 | 22.91 | 10.40 | 2 | 6 | | |
| D15519201 | | 96 | 243 | 28.21 | 12.80 | 1 | 3 | | |
| D14612006 | Tyvek® Solar™ W10 Base | | | 1.46 | 0.66 | 40 | 480 | | |


|  Miscellaneous | | Length | | Width | | Height | | Net weight | | Qty/Box | Qty/Pallet | | |
|--|-------------------------------|--------------|-----------------------------------|-------|-----|--------|-----|------------|------|---------|------------|------|------|
| | | Product code | Item description | in | cm | in | cm | in | cm | | | lb | kg |
| | | D15156327 | Box Tyvek® Solar™ W10 Cargo Cover | 24 | 60 | 16 | 40 | 14 | 35 | | | 0.28 | 0.13 |
| D15442675 | Tyvek® Solar™ W10 Cargo Cover | 42 | 106 | 50 | 126 | 41 | 103 | 1.41 | 0.64 | 20 | 320 | | |
| D15442685 | | 43 | 108 | 50 | 128 | 56 | 143 | 1.54 | 0.70 | 18 | 288 | | |
| D15436124 | | 43.5 | 110 | 43.5 | 110 | 63 | 160 | 0.55 | 0.25 | 20 | 320 | | |
| D15442645 | | 45 | 115 | 49 | 125 | 60 | 152 | 1.67 | 0.76 | 18 | 288 | | |
| D15442661 | | 47 | 120 | 33 | 83 | 43 | 110 | 1.12 | 0.51 | 20 | 320 | | |
| D15442658 | | 50 | 128 | 35 | 88 | 50 | 128 | 1.25 | 0.57 | 20 | 320 | | |
| D15438409 | | 51 | 130 | 34 | 88 | 41 | 63 | 0.77 | 0.35 | 25 | 400 | | |




Water resistant




Lightweight



Easy to store




Breathable



Quick installation

Risks Associated with Breaks in the Cold Chain

To protect from excursions during breaks in the cold chain



Western European Region

Yves Le Minor
Tel: +33 6 15 25 48 52
yves.le-minor-1@dupont.com

East European Region

Andras Kovacs
Tel: +36 30 212 6271
andras.kovacs@dupont.com

Czech Republic & Slovakia

Pavel Prazak
Tel: +420 577 101 753
pavel.prazak@dupont.com

Poland

Wojtek Fijalkowski
Tel: + 48 606 802 595
wojciech.fijalkowski@dupont.com

Middle East & Northern Africa

Moheeb Al Ahmed
Tel: +966 3 881 2235 (13)
moheeb.al-ahmed@dupont.com

Arabic Gulf Region

Richien K Ravi
Tel: +971 506 588 603
richien.ravi@dupont.com

Sub Sahara Africa

Patricia Ntsekhe
Tel: +27 11 218 8616
patricia.ntsekhe@dupont.com

North America

Jon Norris
Tel: +1 513 393 9797
jon.norris@dupont.com

Latin America Region

Deanna Salvati
Tel: +1 615 406 1677
deanna.a.salvati@dupont.com

Argentina

Alejandro Welsh
Tel: +54 9 11 6247 6502
alejandro.welsh@dupont.com

Brazil

Marina Valente
Tel: +55 11 994 80 1722
marina.m.valente@dupont.com

Colombia

Natalia Arango Orozco
Tel: +57 31 024 29 579
natalia.arango@dupont.com

Mexico

Maria Guzman
Tel: +52 1 55 5414 0584
maria.guzman@dupont.com

Peru

Isbet Alvarado
Tel: +51-1 2018960
isbet.alvarado@dupont.com

Asia Pacific Region

Kenny Chen
Tel: +86 21 386 222 92
Kenny-Zh.Y.Chen@dupont.com

Malaysia & Singapore

Patheryn Chong
Tel: +60 3 2859 0721
Patheryn.Chong@dupont.com

Japan

Masaaki Ishii
Tel: +81 3 5521 2658
Masaaki.Ishii@dupont.com
Suzue Kikuyama
Tel: +81 3 5521 2620
Suzue.Kikuyama@dupont.com

India

Shyam Lal Patnaik
Tel: +91 124 4091818
shyam.lal.patnaik@dupont.com

Korea

Darren Oh
Tel: +82 10 8282 8252
Darren.Oh@dupont.com



Tyvek.
cargo covers

All technical information set out herein is provided free of charge and is based on technical data which DuPont believes to be reliable. It is intended for use by persons having skill, at their own discretion and risk. Since conditions of product use are outside of our control we make no warranties expressed or implied in relation thereto and therefore cannot accept any liability in connection with any use of this information. To maintain efficacy, DuPont™ Tyvek® Cargo Covers must be stored in the original package under dry, normal temperature conditions. New and used covers are expected to deteriorate if not properly protected from dust, heat and humidity. DuPont™ Tyvek™ Cargo Covers have been designed for a recommended one-time use to protect temperature sensitive products. Covers are to be considered as complementary to a user's established cold chain best practices, according to the Good Distribution Practice. DuPont is not liable for product damage during the use of the cover. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe any patents.